



Patient ID J0000528	Patient Name VALID, EVROL NORM	Birth Date 1997-05-11	Gender M	Age 22
Order Number J0000528	Client Order Number J0000528	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 16 Mar 2020 08:00		

Everolimus, B

8.0 ng/mL

1 MCF

Reference Value
3–8 ng/mL

ADDITIONAL INFORMATION

Target steady-state trough concentrations vary depending on the type of transplant, concomitant immunosuppression, clinical/institutional protocols, and time post-transplant. Results should be interpreted in conjunction with this clinical information and any physical signs/symptoms of rejection/toxicity. Testing performed by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS).

Received: 17 Mar 2020 15:20

Reported: 17 Mar 2020 15:30

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Gretchen Johns MD	10D0269502