



Patient ID SA00174079	Patient Name TESTINGRNV, REPORTS ABE	Birth Date 1976-08-16	Sex M	Age 48
Order Number SA00174079	Client Order Number SA00174079	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 29 Jan 2025 07:02		

Neurofilament Light Chain, P



High

25.0 pg/mL

1 SDL

Reference Value
≤ 19.7

As of 03/18/2025, Mayo Clinic Laboratories has updated the Neurofilament Light Chain (NfL) methodology. If patient is undergoing serial monitoring of NfL levels, rebaselining by requesting that this sample also be run on the previous assay method for comparison purposes is recommended. Rebaseline of this sample at no charge will be available until 02/27/2026 and the rebaseline result will be added to this report. Contact Mayo Clinic Laboratories at 1-800-533-1710 to request this service. For Mayo patients, call (77)7-1396.

ADDITIONAL INFORMATION

The testing method is a chemiluminescent enzyme immunoassay for the quantitative determination of NfL in plasma manufactured by Fujirebio, Inc. and performed on the Lumipulse analyzer.

Values obtained with different methods may be different and cannot be used interchangeably.

Received: 30 Jan 2025 16:34

Reported: 30 Jan 2025 16:34

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared by the US Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592