



Patient ID SA00174260	Patient Name SAMPLEREPORT, NSAIP NORMAL	Birth Date 1981-08-06	Sex M	Age 43
Order Number SA00174260	Client Order Number SA00174260	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Feb 2025 01:01		

Neurosyphilis IgG Ab Indx w/VDRL

Neurosyphilis IgG, S

SDL

CSF screen was negative for IgG-class antibodies to syphilis (*T. pallidum*).
Testing for IgG-Class antibodies to syphilis in serum was not performed.

Received: 13 Feb 2025 16:49

Reported: 13 Feb 2025 16:53

Neurosyphilis IgG Ab Indx w/VDRL

Neurosyphilis IgG Screen, CSF

Neurosyphilis IgG, CSF

SDL

Reference Value
Negative

Negative

Neurosyphilis IgG Interp

1 SDL

No antibodies to syphilis (*T. pallidum*) detected in cerebrospinal fluid. A negative result in a patient with appropriate exposure history and symptoms consistent with neurosyphilis should not solely be used to exclude infection. If not already performed, testing for antibodies to *T. pallidum* in serum should be ordered.

Received: 13 Feb 2025 16:49

Reported: 13 Feb 2025 16:53

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592