

Patient ID SA00142237	Patient Name SAMPLEREPORT, FFPII ABNORMAL	Birth Date 2001-03-16	Sex M	Age 19
Order Number SA00142237	Client Order Number SA00142237	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Feb 2021 00:00		

Food Panel II IgG

Barley IgG	Y165	Orange IgG	Y165
59.8 mcg/mL		62.5 mcg/mL	
Beef IgG	Y165	Peanut IgG	Y165
78.9 mcg/mL		105.9 mcg/mL	
Casein IgG	Y165	Pork IgG	Y165
101.3 mcg/mL		83.9 mcg/mL	
Chicken IgG	Y165	Potato White IgG	Y165
25.5 mcg/mL		27.5 mcg/mL	
Chocolate/Cacao IgG	Y165	Rye Food IgG	Y165
63.8 mcg/mL		52.3 mcg/mL	
Codfish/Scrod IgG	Y165	Soybean IgG	Y165
44.6 mcg/mL		43.6 mcg/mL	
Corn IgG	Y165	Tomato IgG	Y165
99.5 mcg/mL		78.9 mcg/mL	
Egg White IgG	Y165	Wheat IgG	Y165
82.5 mcg/mL		156.5 mcg/mL	
Malt IgG	Y165	Yeast Saccharomyces cerevisiae IgG	Y165
35.9 mcg/mL		45.9 mcg/mL	
Oat IgG	Y165	Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in	
107.3 mcg/mL			

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Lenexa, KS 66219		



Patient ID SA00142237	Patient Name SAMPLEREPORT, FFPII ABNORMAL	Birth Date 2001-03-16	Sex M	Age 19
Order Number SA00142237	Client Order Number SA00142237	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Feb 2021 00:00		

patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. *This test was

developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 11 Feb 2021 09:32

Reported: 12 Feb 2021 01:34

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Lenexa, KS 66219		