



|                                                |                                                  |                                     |              |           |
|------------------------------------------------|--------------------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00586069                       | Patient Name<br>REPORTVALIDATION, DTABS ABNORMAL | Birth Date<br>1984-04-14            | Gender<br>F  | Age<br>35 |
| Order Number<br>SA00586069                     | Client Order Number<br>SA00586069                | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                                  | Collected<br>03 Sep 2019 02:00      |              |           |

## Diphtheria/Tetanus Ab Panel, S

### Diphtheria Toxoid IgG Ab, S

#### Diphtheria IgG Ab

SDL

#### Diphtheria IgG Value

1 SDL

Negative

0.00 IU/mL

#### REFERENCE VALUE

**Vaccinated:** Positive ( $\geq 0.01$  IU/mL)

**Unvaccinated:** Negative ( $< 0.01$  IU/mL)

### Tetanus Toxoid IgG Ab, S

#### Tetanus IgG Ab

SDL

#### Tetanus IgG Value

1 SDL

Negative

0.00 IU/mL

#### REFERENCE VALUE

**Vaccinated:** Positive ( $\geq 0.01$  IU/mL)

**Unvaccinated:** Negative ( $< 0.01$  IU/mL)

**Received:** 03 Sep 2019 09:18

**Reported:** 03 Sep 2019 09:22

### Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

| Code | Laboratory                                          | Address                                    |
|------|-----------------------------------------------------|--------------------------------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 |