



Cat Epithelium, IgE, with Reflex to Cat Epithelium
Components, IgE, Serum

Patient ID SA00159557	Patient Name TESTINGRNV, REPORTS NORM	Birth Date 1976-08-16	Sex M	Age 46
Order Number SA00159557	Client Order Number SA00159557	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Apr 2023 07:01		

Cat Epithelium Component Reflex, S

Cat Epithelium, IgE, S

<0.10 kU/L

Class 0 (Negative <0.10)

Reflex testing to specific cat epithelium component IgE antibodies was not performed due to undetectable total IgE cat antibody. Negative IgE results for total cat epithelium antibody may indicate, but does not completely rule out, a lack of sensitization to potential cat epithelium allergenic components. Results from cat epithelium-specific IgE antibody testing must be interpreted in the context of patient's clinical evaluation and history of allergen exposures.

Received: 14 Apr 2023 13:19

Reported: 14 Apr 2023 13:21

SDL

Reference Value
<0.70

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592