



|                                                   |                                 |                                |              |           |
|---------------------------------------------------|---------------------------------|--------------------------------|--------------|-----------|
| Patient ID<br>J0001295                            | Patient Name<br>ABNORMAL, HIVDX | Birth Date<br>1986-11-25       | Sex<br>F     | Age<br>37 |
| Order Number<br>J0001295                          | Client Order Number<br>J0001295 | Ordering Physician             | Report Notes |           |
| Account Information<br>C7028845 DLMP Jacksonville |                                 | Collected<br>02 Feb 2024 12:54 |              |           |

HIV-1/-2 Ag and Ab Diagnostic, P



Abn

Reactive

MCF

Reference Value  
Negative

Result is not diagnostic (considered preliminary), and diagnosis of HIV infection must be based on supplemental test results. Supplemental HIV antibody differentiation test is ordered.

Received: 31 Jan 2024 07:44

Reported: 02 Feb 2024 11:48

HIV-1 RNA Detect/Quant, P

MCF

Undetected copies/mL

Reference Value  
Undetected

Result in log copies/mL is Undetected.

ADDITIONAL INFORMATION

The quantification range of this assay is 20 to 10,000,000 copies/mL (1.30 log to 7.00 log copies/mL). Testing was performed using the cobas HIV-1 test (Roche Molecular Systems, Inc.).

Received: 02 Feb 2024 11:54

Reported: 02 Feb 2024 11:57

HIV Ab Confirm / Differentiation, P

HIV-1 Ab Differentiation, P



Abn

Positive

MCF

Reference Value  
Negative

Bands detected:

Presence of HIV-1 antibodies is confirmed. Reflex testing for HIV-1 RNA detection and quantification is ordered.

HIV-2 Ab Differentiation, P

MCF

Negative

Reference Value  
Negative

Bands detected : None

Received: 02 Feb 2024 11:48

Reported: 02 Feb 2024 11:53

Performing Site Legend

| Code | Laboratory                            | Address                                   | Lab Director     | CLIA Certificate |
|------|---------------------------------------|-------------------------------------------|------------------|------------------|
| MCF  | Mayo Clinic Jacksonville Clinical Lab | 4500 San Pablo Rd, Jacksonville, FL 32224 | Jeffrey Dlott MD | 10D0269502       |