

Patient ID SA00174057	Patient Name SAMPLEREPORT, FNGPG	Birth Date 2003-12-19	Sex F	Age 21
Order Number SA00174057	Client Order Number SA00174057	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Jan 2025 15:00		

Nuts and Grains Panel IgG

Almond Food IgG	Y165	Rice IgG	Y165
6.4 mcg/mL		16.4 mcg/mL	
Buckwheat IgG	Y165	Rye Food IgG	Y165
9.4 mcg/mL		17.4 mcg/mL	
Corn IgG	Y165	Sesame Seed IgG	Y165
10.4 mcg/mL		18.4 mcg/mL	
Gluten IgG	Y165	Soybean IgG	Y165
11.4 mcg/mL		19.4 mcg/mL	
Bean Kidney IgG	Y165	Sunflower Seed IgG	Y165
7.4 mcg/mL		20.4 mcg/mL	
Lentil IgG	Y165	Walnut Food (Juglans spp) IgG	Y165
12.4 mcg/mL		21.4 mcg/mL	
Bean Lima IgG	Y165	Wheat IgG	Y165
8.4 mcg/mL		22.4 mcg/mL	
Oat IgG	Y165	Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. *This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.	
Peanut IgG	Y165		
14.4 mcg/mL			
Pecan Food IgG	Y165		
15.4 mcg/mL			

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		



Patient ID SA00174057	Patient Name SAMPLEREPORT, FNGPG	Birth Date 2003-12-19	Sex F	Age 21
Order Number SA00174057	Client Order Number SA00174057	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Jan 2025 15:00		

FLAG Interpretation: A = Abnormal, H = High, L = Low

Received: 30 Jan 2025 09:09

Reported: 03 Feb 2025 15:13

Test Environment
LTCSEQ Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		