

Patient ID C7028846-0006580	Patient Name TQ10, NORMAL	Birth Date 1990-10-30	Sex M	Age 35
Order Number X100513870	Client Order Number X100513870	Ordering Physician UNKNOWN,PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Nov 2025 06:00		

Coenzyme Q10, Total, P

CoQ10 Total

589 mcg/L

MCR

Reference Value
433–1532

Reviewed By

Colleen Landon

MCR

Received: 07 Nov 2025 10:19

Reported: 07 Nov 2025 12:14

Interpretation (TQ10)

1 MCR

In this sample the total coenzyme Q10 concentration is normal.

ADDITIONAL INFORMATION

Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292