



Patient ID J0001455	Patient Name REPORT, RP_ABNORMAL	Birth Date 2000-07-25	Sex M	Age 24
Order Number J0001455	Client Order Number J0001455	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 25 Jul 2024 05:30		

Respiratory Panel, PCR, NP

Specimen Source

NASOPHARYNGEAL SWAB

MCF

Adenovirus

Undetected

MCF

Reference Value
Undetected

Coronavirus 229E

Undetected

MCF

Reference Value
Undetected

Coronavirus HKU1

Undetected

MCF

Reference Value
Undetected

Coronavirus NL63

Undetected

MCF

Reference Value
Undetected

Coronavirus OC43

Undetected

MCF

Reference Value
Undetected

SARS Coronavirus-2

Undetected

MCF

Reference Value
Undetected

SARS-CoV-2 RNA absent. This result does not rule out COVID-19 in the patient, as the sensitivity of the test depends on the timing of the specimen collection and the quality of the specimen. Result should be correlated with patient's history and clinical presentation.

Human Metapneumovirus

Undetected

MCF

Reference Value
Undetected

Human Rhinovirus/ Enterovirus



Detected

MCF

Reference Value
Undetected

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502



Patient ID J0001455	Patient Name REPORT, RP_ABNORMAL	Birth Date 2000-07-25	Sex M	Age 24
Order Number J0001455	Client Order Number J0001455	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 25 Jul 2024 05:30		

Influenza A	MCF	Bordetella parapertussis	MCF
Undetected	Reference Value Undetected	Undetected	Reference Value Undetected
Influenza B	MCF	Bordetella pertussis	MCF
Undetected	Reference Value Undetected	 Detected	Reference Value Undetected
Parainfluenza Virus 1	MCF	Abn Semi-Urgent Result.	
Undetected	Reference Value Undetected	Chlamydia pneumoniae	MCF
Parainfluenza Virus 2	MCF	Undetected	Reference Value Undetected
Undetected	Reference Value Undetected	Mycoplasma pneumoniae	MCF
Parainfluenza Virus 3	MCF	Undetected	Reference Value Undetected
Undetected	Reference Value Undetected	Interpretation	MCF
Parainfluenza Virus 4	MCF	This assay is not predicted to detect SARS-coronavirus (CoV), or MERS-CoV.	
Undetected	Reference Value Undetected	ADDITIONAL INFORMATION	
Respiratory Syncytial Virus	MCF	This assay is performed using the FDA-Cleared FilmArray Respiratory Panel 2.1 (BioFire Diagnostics).	
Undetected	Reference Value Undetected	Received: 25 Jul 2024 07:09	Reported: 25 Jul 2024 07:37

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502