



|                                                |                                    |                                     |              |           |
|------------------------------------------------|------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00144521                       | Patient Name<br>RNVTESTING, RA1U_N | Birth Date<br>1976-09-09            | Gender<br>F  | Age<br>44 |
| Order Number<br>SA00144521                     | Client Order Number<br>SA00144521  | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                    | Collected<br>12 May 2021 00:00      |              |           |

## Alpha-1-Microglobulin, Random, U

Alpha-1-Microglobulin, Random, U

1 MCR

10 mg/L

A1M/Creat Ratio

10 mg/g Cr

MCR

Reference Value  
<35

Creatinine, Random, U

MCR

100 mg/dL

Reference Value  
16-326

Received: 13 May 2021 10:39

Reported: 13 May 2021 10:40

### Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--------------------------------------------------|------------------------------------------|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |