



Patient ID SA00150217	Patient Name TESTINGRNA, RPB	Birth Date 1993-01-01	Sex F	Age 29
Order Number SA00150217	Client Order Number SA00150217	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 19 Jan 2022 14:03		

Respiratory Panel, PCR, V

Specimen Source

Bronchoalveolar lavage (BAL)

MCR

Adenovirus

Undetected

MCR

Reference Value
Undetected

Coronavirus 229E

Undetected

MCR

Reference Value
Undetected

Coronavirus HKU1

Undetected

MCR

Reference Value
Undetected

Coronavirus NL63

Undetected

MCR

Reference Value
Undetected

Coronavirus OC43

Undetected

MCR

Reference Value
Undetected

SARS Coronavirus-2

Undetected

MCR

Reference Value
Undetected

SARS-CoV-2 RNA absent. This result does not rule out COVID-19 in the patient, as the sensitivity of the test depends on the timing of the specimen collection and the quality of the specimen. Result should be correlated with patient's history and clinical presentation.

Human Metapneumovirus

Undetected

MCR

Reference Value
Undetected

Human Rhinovirus/ Enterovirus

Undetected

MCR

Reference Value
Undetected

Influenza A

Undetected

MCR

Reference Value
Undetected

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292

Patient ID SA00150217	Patient Name TESTINGRNV, RPB	Birth Date 1993-01-01	Sex F	Age 29
Order Number SA00150217	Client Order Number SA00150217	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 19 Jan 2022 14:03		

Influenza B

Undetected

MCR

Reference Value
Undetected

Parainfluenza Virus 1

Undetected

MCR

Reference Value
Undetected

Parainfluenza Virus 2

Undetected

MCR

Reference Value
Undetected

Parainfluenza Virus 3

Undetected

MCR

Reference Value
Undetected

Parainfluenza Virus 4

Undetected

MCR

Reference Value
Undetected

Respiratory Syncytial Virus

Undetected

MCR

Reference Value
Undetected

Bordetella pertussis

Undetected

MCR

Reference Value
Undetected

Bordetella parapertussis


Detected

Semi-Urgent Result.

MCR

Reference Value
Undetected

Chlamydia pneumoniae

Undetected

MCR

Reference Value
Undetected

Mycoplasma pneumoniae

Undetected

MCR

Reference Value
Undetected

Interpretation

1 MCR

This assay is not predicted to detect SARS-coronavirus (CoV), or MERS-CoV.

ADDITIONAL INFORMATION

This assay is performed using the FilmArray Respiratory Panel 2.1 (BioFire Diagnostics).

Received: 19 Jan 2022 14:06

Reported: 19 Jan 2022 14:13

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292