



Patient ID 0000001	Patient Name SAMPLEREPORT, FBLGG	Birth Date 1953-01-15	Sex M	Age 70
Order Number RI20230823A0028	Client Order Number RI20230823A0028	Ordering Physician	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Aug 2023 19:23		

Beta Lactoglobulin IgG

Y165

5.0 mcg/mL

Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone

cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. *This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Received: 29 Aug 2023 15:50

Reported: 30 Aug 2023 10:09

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		