



Patient ID SA00117828	Patient Name TESTINGRNA, SAMPLEREPORT	Birth Date 1982-06-29	Gender F	Age 36
Order Number SA00117828	Client Order Number SA00117828	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 19 Feb 2019 14:00		

Methylmalonic Acid, QN, P



High

0.50 nmol/mL

1 MCR

Reference Value
≤0.40

In this sample, the concentration of methylmalonic acid (MMA) was minimally elevated. As the upper limit of the reference range varies in different laboratories from 0.4 to 0.6 nmol/mL. This finding could be considered normal, especially if the patient does not show other signs of vitamin B12 deficiency.

Received: 20 Feb 2019 14:31

Reported: 20 Feb 2019 14:43

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292