

Patient ID SA00150182	Patient Name SAMPLEREPORT, OXYSX	Birth Date 1990-08-08	Gender F	Age 31
Order Number SA00150182	Client Order Number SA00150182	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Jan 2022 08:00		

Adulterants Survey, CoC, U

Oxidants

Positive

SDL

Reference Value
Cutoff: 200 mg/L

pH

6.6

SDL

Creatinine, U

123.4 mg/dL

SDL

Nitrites

Negative

SDL

Reference Value
Cutoff: 500 mg/L

Specific Gravity

1.004

SDL

Comment

Normal

SDL

Received: 14 Jan 2022 15:06

Reported: 14 Jan 2022 15:09

Oxycodone w/metabolite Conf, CoC, U

Oxycodone Interpretation

1 SDL

Negative.

Discrepancy noted between immunoassay results and LC-MS/MS result. The LC-MS/MS result is the definitive result.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

Oxycodone Immunoassay Screen

SDL



Abn

Reference Value
Cutoff: 100

Presumptive Positive ng/mL

Oxycodone-by LC-MS/MS

SDL

Negative ng/mL

Reference Value
Cutoff: 25

Noroxycodone-by LC-MS/MS

SDL

Negative ng/mL

Reference Value
Cutoff: 25

Oxymorphone-by LC-MS/MS

SDL

Negative ng/mL

Reference Value
Cutoff: 25

Noroxymorphone-by LC-MS/MS

SDL

Negative ng/mL

Reference Value
Cutoff: 25

Chain of Custody

SDL

Chain of custody documents are on file in the Mayo Toxicology Laboratory.

Received: 14 Jan 2022 15:06

Reported: 14 Jan 2022 15:28

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592

Patient ID SA00150182	Patient Name SAMPLEREPORT, OXYSX	Birth Date 1990-08-08	Gender F	Age 31
Order Number SA00150182	Client Order Number SA00150182	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Jan 2022 08:00		

Oxycodone Screen, CoC, U

Oxycodone


Abn

Presumptive Positive ng/mL

Drug confirmation to follow. Presumptive Positive means that the screening method is positive, but the test needs to be run by a confirmatory method before being finalized.

SDL
Reference Value
Cutoff: 100

Chain of Custody

Chain of custody documents are on file in the Mayo Toxicology Laboratory.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring or management of patients. It is not intended for use in employment-related testing.

SDL
Received: 14 Jan 2022 15:06

Reported: 14 Jan 2022 15:25

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592