



Patient ID SA00131650	Patient Name SAMPLEREPORT, COXIS ABNORMAL	Birth Date 1984-04-14	Gender F	Age 36
Order Number SA00131650	Client Order Number SA00131650	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 29 Jul 2020 02:02		

Coccidioides Ab Screen w/Reflex, S

Coccidioides Ab Screen, S

Reactive

Confirmatory testing by complement fixation and immunodiffusion has been ordered.

1 SDL

Reference Value
Negative

Received: 29 Jul 2020 14:41

Reported: 29 Jul 2020 14:44

Coccidioides Ab, CompF/ImmDiff,S

Coccidioides Ab, CompF,S



1:32

SDL
Reference Value
Negative

Complement fixation (CompF) results suggest resolving or current infection. Increasing titers in serially collected samples (collected 2–3 weeks apart) are diagnostic for active disease. Results should be interpreted in the context of clinical presentation and other laboratory findings (e.g., fungal culture).

Coccidioides, IgG, ImmDiff,S



Positive

SDL
Reference Value
Negative

Coccidioides, IgM, ImmDiff,S



Positive

SDL
Reference Value
Negative

Immunodiffusion (ImmDiff) results suggest acute infection. IgM antibodies may appear 2 or more weeks after symptom onset, and can remain detectable for more than 4 months following disease resolution. Results should be interpreted in the context of clinical presentation and other laboratory findings (e.g., fungal culture).

Received: 29 Jul 2020 14:44

Reported: 29 Jul 2020 14:48

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592