

Patient ID SA00155177	Patient Name BPRPV, ABNORMAL	Birth Date 1992-10-29	Sex M	Age 30
Order Number SA00155177	Client Order Number SA00155177	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 07 Nov 2022 00:00		

Bordetella, PCR, Varies

Specimen Source

NASAL ASPIRATE

MCR

Bordetella pertussis PCR


Positive

Abn

Does not distinguish between B. pertussis and B. holmesii- See mayocliniclabs.com

MCR

Reference Value
Not Applicable

Semi-Urgent Result.

Bordetella parapertussis PCR

Negative

1 MCR

Reference Value
Not Applicable

Received: 07 Nov 2022 13:22

Reported: 07 Nov 2022 14:04

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292