



|                                                   |                                           |                                         |              |           |
|---------------------------------------------------|-------------------------------------------|-----------------------------------------|--------------|-----------|
| Patient ID<br>321                                 | Patient Name<br>SAMPLEREPORT, MCF TESTING | Birth Date<br>1931-09-09                | Gender<br>M  | Age<br>88 |
| Order Number<br>X100301635                        | Client Order Number<br>X100301635         | Ordering Physician<br>UNKNOWN, PROVIDER | Report Notes |           |
| Account Information<br>C7028845 DLMP Jacksonville |                                           | Collected<br>16 Oct 2019 11:00          |              |           |

JC Virus PCR, CSF

Negative

Received: 17 Oct 2019 13:03

Reported: 17 Oct 2019 13:17

1 MCF

Reference Value  
Negative

Test Environment  
Standard Template

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                            | Address                                   | Lab Director      | CLIA Certificate |
|------|---------------------------------------|-------------------------------------------|-------------------|------------------|
| MCF  | Mayo Clinic Jacksonville Clinical Lab | 4500 San Pablo Rd, Jacksonville, FL 32224 | Gretchen Johns MD | 10D0269502       |