



Patient ID 0000001	Patient Name SAMPLEREPORT, FCATE	Birth Date 1955-03-02	Sex F	Age 68
Order Number RI20230823A0242	Client Order Number RI20230823A0242	Ordering Physician	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Aug 2023 19:33		

Catfish IgE

Catfish IgE



High

12.60 kU/L

Y165

Reference Value
<0.35

Class

Y165

3

The test method is the Phadia ImmunoCAP allergen-specific IgE system. CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10–0.34 kU/L= 0/1, Equivocal/Borderline; 0.35–0.69 kU/L=1, Low Positive; 0.70–3.49 kU/L=2, Moderate Positive; 3.50–17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00–99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive
*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Received: 05 Sep 2023 15:39

Reported: 06 Sep 2023 15:17

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		