



Patient ID SA00124967	Patient Name TESTINGRNV, ADALX-LOW	Birth Date 1995-01-01	Gender F	Age 25
Order Number SA00124967	Client Order Number SA00124967	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 07 Jan 2020 00:00		

Adalimumab QN with Reflex to Ab, S

1 SDL



8.0 mcg/mL

Low

For concentrations of adalimumab less than or equal to 8.0 mcg/mL, reflex testing for antibodies-to-adalimumab will be performed.

REFERENCE VALUE

Limit of Quantitation = 0.8 mcg/mL

Received: 09 Jan 2020 11:23

Reported: 09 Jan 2020 11:24

Adalimumab Ab, S

1 SDL



15.0 AU/mL

High

Reference Value
<14.0

Presence of antibody-to-adalimumab detected, which correlates with low concentration of adalimumab. Antibodies-to-adalimumab may be associated with increased clearance and lower circulating concentration of adalimumab.

Received: 09 Jan 2020 11:24

Reported: 09 Jan 2020 11:26

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592