

Patient ID SA00169021	Patient Name SAMPLEREPORT, CDGF	Birth Date 1967-11-27	Sex F	Age 56
Order Number SA00169021	Client Order Number SA00169021	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 24 Jun 2024 00:00		

Celiac Disease Gluten-Free Cascade

Celiac Disease Interpretation

SDL

See Comment:

Celiac disease possible. Consider biopsy.

HLA-DQ Typing

DQ alpha 1

03,05:01

MCR

Reference Value
Not Applicable

DQ beta 1

02:02,03:02

MCR

Reference Value
Not Applicable

DQ Serologic Equivalent:2,8

Celiac gene pairs present?

1 MCR

Yes

Method: Molecular typing of HLA antigens performed using reverse SSOP and/or sequencing methods, reported as serological equivalents and low to intermediate resolution molecular values. For convenience, when not defined in the WHO Nomenclature a laboratory defined serologic equivalent has been provided. Based on the catalog of common, intermediate, and well-documented alleles in the world population(CIWD 3.0 Hurley CK et.al, HLA. 2020:516–531), certain intermediate or common alleles in some ethnicities may not be resolved. Kindly contact laboratory if ethnic specific resolution is required. CLIA: 24D0404292 CLIA Lab Director: NIKOLA BAUMANN,Ph.D.

Received: 24 Jun 2024 08:54

Reported: 24 Jun 2024 15:20

Glialdin(Deamidated) Ab, IgA, S

SDL

<10.0 U

Reference Value
<20.0 (Negative)

Received: 24 Jun 2024 08:55

Reported: 24 Jun 2024 14:48

Glialdin(Deamidated) Ab, IgG, S

SDL



25.0 U

Reference Value
<20.0 (Negative)

High

Interpretation: Weak Positive (20.0–30.0)

Received: 24 Jun 2024 08:55

Reported: 24 Jun 2024 14:48

Immunoglobulin A (IgA), S

SDL

 5 mg/dL

Reference Value
61–356

Received: 24 Jun 2024 14:45

Reported: 24 Jun 2024 14:48

Tissue Transglutaminase Ab, IgA, S

SDL

<1.2 U/mL

Reference Value
<4.0 (Negative)

Received: 24 Jun 2024 08:55

Reported: 24 Jun 2024 14:48

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292



Patient ID SA00169021	Patient Name SAMPLEREPORT, CDGF	Birth Date 1967-11-27	Sex F	Age 56
Order Number SA00169021	Client Order Number SA00169021	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 24 Jun 2024 00:00		

Tissue Transglutaminase Ab, IgG, S



7.0 U/mL

High

Interpretation: Weak Positive (6.0–9.0)

SDL

Reference Value
<6.0 (Negative)

Received: 24 Jun 2024 08:55

Reported: 24 Jun 2024 14:48

Laboratory Notes

- 1 This test has been modified from the manufacturers instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292