



Patient ID SA00008395	Patient Name SAMPLEREPORT, LDALD	Birth Date 2016-05-06	Gender F	Age 4 D
Order Number SA00008395	Client Order Number SA00008395	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 May 2016 13:00		

LSD/X-ALD Newborn Screen, BS

LSD/X-ALD Newborn Screen Result

1 MCR

NEGATIVE

In this blood spot sample, the activities of the lysosomal enzymes and concentrations of the lysophosphatidylcholine were normal.

ADDITIONAL INFORMATION

Flow Injection Analysis-Tandem Mass Spectrometry (FIA-MS/MS)

Reviewed By

Amy Breitlow

MCR

Birth Weight (grams, XXXX)

MCR

2600 g

Time of Birth (24hr Time, XX:XX)

MCR

13:14 Time

Gestational Age (weeks, XX.X)

MCR

37.2 wk

Received: 11 May 2016 07:53

Reported: 11 May 2016 07:59

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292