



Patient ID SA00068010	Patient Name TESTING RNV, PLPMA	Birth Date 1962-12-29	Gender F	Age 51
Order Number SA00068010	Client Order Number SA00068010	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Jun 2014 00:00		

Prolactin, Pituitary Macroadenoma

Prolactin, S



High

300 ng/mL

MCR

Reference Value
4.8–23.3

Comment

MCR

10,100,and 400-fold dilutions produced results consistent with the absence of high-dose hook effects.

ADDITIONAL INFORMATION

The testing method is an electrochemiluminescence assay manufactured by Roche Diagnostics Inc. and performed on the Cobas system.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 22 Jun 2014 16:42

Reported: 22 Jun 2014 16:42

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292