



Patient ID SA00118656	Patient Name SAMPLE REPORT, ACARP N	Birth Date 1982-02-02	Gender F	Age 37
Order Number SA00118656	Client Order Number SA00118656	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Mar 2019 10:00		

Acanthamoeba species Detection, PCR

Specimen Source

Cornea Scraping, Right

MCR

Acanthamoeba species PCR



Positive

Crit

Critical result.

MCR

Reference Value
Negative

ADDITIONAL INFORMATION

The preferred specimens for Acanthamoeba species PCR are corneal scrapings or biopsy. Swabs are suboptimal and may result in a falsely negative result.

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug administration.

Received: 07 Mar 2019 14:30

Reported: 07 Mar 2019 14:32

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292