



|                                                   |                                 |                                |              |           |
|---------------------------------------------------|---------------------------------|--------------------------------|--------------|-----------|
| Patient ID<br>J0001279                            | Patient Name<br>NORMAL, AHEP    | Birth Date<br>1985-11-25       | Sex<br>F     | Age<br>38 |
| Order Number<br>J0001279                          | Client Order Number<br>J0001279 | Ordering Physician             | Report Notes |           |
| Account Information<br>C7028845 DLMP Jacksonville |                                 | Collected<br>29 Jan 2024 08:00 |              |           |

Acute Hepatitis Profile

Hepatitis A IgM Ab, S

Negative

This result does not exclude the possibility of recent exposure to hepatitis A virus. Antibody level during early infection stage may be below the limit of detection of the assay.

Consumption of high-dose biotin supplement within 12 hours of blood collection for this test can cause false-negative results.

MCF

Reference Value  
Negative

HBs Antigen, S

Negative

HBc IgM Ab, S

Negative

Consumption of high-dose biotin supplement within 12 hours of blood collection for this test can cause false-negative results.

MCF

Reference Value  
Negative

MCF

Reference Value  
Negative

HCV Ab w/Reflex to HCV PCR, S

HCV Ab, S

Negative

Consumption of high-dose biotin supplement within 12 hours of blood collection for this test can cause false-negative results.

MCF

Reference Value  
Negative

Received: 31 Jan 2024 13:15

Reported: 31 Jan 2024 13:16

Performing Site Legend

| Code | Laboratory                            | Address                                   | Lab Director     | CLIA Certificate |
|------|---------------------------------------|-------------------------------------------|------------------|------------------|
| MCF  | Mayo Clinic Jacksonville Clinical Lab | 4500 San Pablo Rd, Jacksonville, FL 32224 | Jeffrey Dlott MD | 10D0269502       |