



Patient ID SA00085543	Patient Name TESTINGRNV, REPORT NORM	Birth Date 1979-05-30	Gender F	Age 37
Order Number SA00085543	Client Order Number SA00085543	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 08 Feb 2017 12:00		

ROMA Score

HE4,S

30 pmol/L

SDL

Reference Value
≤140

Risk Score, if postmenopausal

SDL

0.54

In postmenopausal women a ROMA value ≥ 2.99 indicates a high risk of finding epithelial ovarian cancer whereas a ROMA value < 2.99 indicates a low risk of finding epithelial ovarian cancer at surgery.

REFERENCE VALUE

Postmenopausal:
 < 2.99 (low risk)
 $=$ or > 2.99 (high risk)

ADDITIONAL INFORMATION

The testing method is an electrochemiluminescence assay manufactured by Roche Diagnostics Inc. and performed on the Cobas system.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 09 Feb 2017 12:56

Reported: 09 Feb 2017 12:56

Cancer Ag 125 (CA 125), S

10 U/mL

SDL

Reference Value
 < 46

Risk Score, if premenopausal

SDL

0.23

In premenopausal women a ROMA value ≥ 1.14 indicates a high risk of finding epithelial ovarian cancer whereas a ROMA value < 1.14 indicates a low risk of finding epithelial ovarian cancer at surgery.

REFERENCE VALUE

Premenopausal:
 < 1.14 (low risk)
 $=$ or > 1.14 (high risk)

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592