

Patient ID SA00006928	Patient Name SAMPLEREPORT, ETGX N	Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00006928	Client Order Number SA00006928	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 15 Feb 2016 09:00		

Adulterants Survey, CoC, U

Creatinine, U	SDL	pH	SDL
200.0 mg/dL		7.0	
Specific Gravity	SDL	Oxidants	SDL
1.034		Negative	Reference Value Cutoff: 200 mg/L
		Received: 16 Feb 2016 09:34	Reported: 16 Feb 2016 14:26

Ethyl Glucuronide Conf, CoC, U

Ethyl Gluc/Sulfate Interpretation	SDL	Ethyl Glucuronide	SDL
Negative.		Negative ng/mL	Reference Value Cutoff: 250
ADDITIONAL INFORMATION This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.		Ethyl Sulfate	SDL
		Negative ng/mL	Reference Value Cutoff: 100
ETG Immunoassay Screen	SDL	Chain of Custody	SDL
Negative ng/mL	Reference Value Cutoff: 500	Chain of custody documents are on file in the Mayo Toxicology Laboratory.	
		Received: 16 Feb 2016 09:34	Reported: 16 Feb 2016 13:18

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592