

Patient ID SAMPLE	Patient Name PATIENT, TEST	Birth Date 1990-08-02	Sex U	Age 33
Order Number SAMPLE	Client Order Number SAMPLE	Ordering Physician SAMPLE	Report Notes Sample Report	
Account Information SAMPLE		Collected 01 Aug 2024 15:01		

CMV CD8 T-Cell QN by Flow Cytometry

Interpretation

① SDL

Normal total CD8 T cell count. Evaluation for CMV-specific CD8 T cell immunity was performed on all 5 MHC class I alleles tested in this assay (HLA A1, A2, B7, B8 and B35). There was fewer than 2 cells/uL for HLA A1, A2, B8 and B35-specific CMV peptides (pp50, IE-1 and pp65) so functional testing of the allele-specific CMV- CD8 T cells (IFN-gamma and CD107a and b) could not be performed for these class I alleles. However, there were 2 CMV-CD8 T cells/uL for HLA B7 and therefore, functional testing was performed for these alleles and the corresponding pp65 peptide. The total IFN-gamma production and CD107a/b expression for the B7 allele and associated CMV peptide provided a TIC score of 5, which would be consistent with an effective CD8 T cell immune response for only this specific class I allele and CMV peptide. However, an effective immune response to CMV may require a broader antigenic specificity than to a single CMV-specific peptide. It is also quite possible that this individual may possess CMV-specific CD8 T cells, which recognize other CMV epitopes in the context of this MHC class I allele or other MHC molecules not tested in this assay. Normal global CD8 T cell functional immune competence (measurement of IFN-gamma as a marker of T cell activation, and expression of CD107a/b, cellular degranulation marker) after stimulation with mitogen - PMA and ionomycin. Clinical correlation recommended.

Total CMV CD8 T cells IFN-g

SDL



0.000 cells

REFERENCE VALUE
0.028–52.200 x10(3) cells/mL

Total CMV CD8 T cells CD107a/b

SDL



0.000 cells

REFERENCE VALUE
0.252–50.700 x10(3) cells/mL

Total CD3 T cells

SDL

925 cells

REFERENCE VALUE
884–5830 x10(3) cells/mL

Total CD8T cells

SDL

327 cells

REFERENCE VALUE
168–1847 x10(3) cells/mL

CMV CD8 T cells A2

SDL

0.600 cells

Total CMV CD8 T cells

SDL

0 cells

REFERENCE VALUE
0–115 x10(3) cells/mL

CMV CD8 T cells IFN-g A2

SDL

0.000 cells

CMV CD8 T cells CD107 A2

SDL

0.000 cells

IFN-gamma expression

SDL

10.5 % CD8 T-Cells

Reference Value
10.3–56.0

CD107a/b expression

SDL

19.7 % CD8 T-Cells

Reference Value
8.5–49.1

Received: 02 Aug 2024 14:56

Reported: 02 Aug 2024 15:01

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592

Patient ID SAMPLE	Patient Name PATIENT, TEST	Birth Date 1990-08-02	Sex U	Age 33
Order Number SAMPLE	Client Order Number SAMPLE	Ordering Physician SAMPLE	Report Notes Sample Report	
Account Information SAMPLE		Collected 01 Aug 2024 15:01		

Test
Environment
LTCSEQ Template

Laboratory Notes

- 1

Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592