



Patient ID SA00175159	Patient Name TESTING AB, RP	Birth Date 1990-02-03	Sex M	Age 35
Order Number SA00175159	Client Order Number SA00175159	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Apr 2025 00:00		

Respiratory Panel, PCR, NP

Specimen Source

NASOPHARYNGEAL SWAB

MCR

Adenovirus



Detected

MCR

Reference Value
Undetected

Coronavirus 229E

Undetected

MCR

Reference Value
Undetected

Coronavirus HKU1

Undetected

MCR

Reference Value
Undetected

Coronavirus NL63

Undetected

MCR

Reference Value
Undetected

Coronavirus OC43

Undetected

MCR

Reference Value
Undetected

SARS Coronavirus-2

Undetected

MCR

Reference Value
Undetected

SARS-CoV-2 RNA absent. This result does not rule out COVID-19 in the patient, as the sensitivity of the test depends on the timing of the specimen collection and the quality of the specimen. Result should be correlated with patient's history and clinical presentation.

Human Metapneumovirus

Undetected

MCR

Reference Value
Undetected

Human Rhinovirus/ Enterovirus

Undetected

MCR

Reference Value
Undetected

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292

Patient ID SA00175159	Patient Name TESTING AB, RP	Birth Date 1990-02-03	Sex M	Age 35
Order Number SA00175159	Client Order Number SA00175159	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Apr 2025 00:00		

Influenza A

Undetected

MCR

Reference Value
Undetected

Bordetella parapertussis

Undetected

MCR

Reference Value
Undetected

Influenza B

Undetected

MCR

Reference Value
Undetected

Bordetella pertussis

Undetected

MCR

Reference Value
Undetected

Parainfluenza Virus 1

Undetected

MCR

Reference Value
Undetected

Chlamydia pneumoniae

Undetected

MCR

Reference Value
Undetected

Parainfluenza Virus 2

Undetected

MCR

Reference Value
Undetected

Mycoplasma pneumoniae

Undetected

MCR

Reference Value
Undetected

Parainfluenza Virus 3

Undetected

MCR

Reference Value
Undetected

Interpretation

This assay is not predicted to detect SARS-coronavirus (CoV), or MERS-CoV.

MCR
Parainfluenza Virus 4

Undetected

MCR

Reference Value
Undetected

ADDITIONAL INFORMATION

This assay is performed using the FDA-Cleared FilmArray Respiratory Panel 2.1 (BioFire Diagnostics).

Respiratory Syncytial Virus

Undetected

MCR

Reference Value
Undetected

Received: 07 Apr 2025 12:50

Reported: 07 Apr 2025 12:51

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292