MAYO CLINIC LABORATORIES

1-800-533-1710

# HSVC

Herpes Simplex Virus (HSV), Molecular Detection, PCR, Spinal Fluid

| Patient ID | Patient Name | Birth Date | Gender | Age |
|---|---|---|---|---|
| SA00105666 | SAMPLEREPORT, HSVC | 1966-06-10 | F | 51 |

| Order Number | Client Order Number | Ordering Physician | Report Notes |
|---|---|---|---|
| SA00105666 | SA00105666 | CLIENT, CLIENT | |

| Account Information | Collected |
|---|---|
| C7028846 DLMP Rochester | 05 Apr 2018 00:00 |

## Herpes Simplex Virus, PCR, CSF

**HSV 1 PCR, C** — MCR

Crit **Positive**

**Critical result.**

**Reference Value** Negative

**HSV 2 PCR, C** — MCR

Crit **Positive**

**Critical result.**

**Reference Value** Negative

**Received:** 06 Apr 2018 12:28 **Reported:** 06 Apr 2018 12:33

Test Environment AOECOL Template

**Performing Site Legend**

| Code | Laboratory | Address | Lab Director | CLIA Certificate |
|---|---|---|---|---|
| MCR | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292 |