

Patient ID SA00179240	Patient Name VIROLOGY, AHPV	Birth Date 2000-01-01	Sex F	Age 26
Order Number SA00179240	Client Order Number SA00179240	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 09 Feb 2026 00:00		

HPV Anal Detect / Genotyping PCR

Specimen Source

ANUS

SDL

HPV High Risk type 16, PCR



Positive

Abn

SDL

Reference Value
Negative

HPV High Risk type 18, PCR



Positive

Abn

SDL

Reference Value
Negative

HPV other High Risk types, PCR



Positive

Abn

1 SDL

Reference Value
Negative

Positive for one or more of the following
Other High Risk HPV types: 31, 33, 35, 39,
45, 51, 52, 56, 58, 59, 66, and 68.

ADDITIONAL INFORMATION

Testing was performed using the cobas HPV assay (Roche Molecular Systems, Inc.). This report is intended for use in clinical monitoring and management of patients. It is not intended for use in medical-legal applications.

Received: 10 Feb 2026 07:25

Reported: 10 Feb 2026 07:32

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592