



Patient ID SA00008167	Patient Name SAMPLEREPORT, FNSVG-TEST N	Birth Date 1981-08-04	Gender F	Age 34
Order Number SA00008167	Client Order Number SA00008167	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Apr 2016 13:00		

NuSwab Vaginitis (VG)

Atopobium vaginae

Y060

Low - 0 Score

BVAB 2

Y060

Low - 0 Score

Megasphaera 1

Y060

Low - 0 Score

. Calculate total score by adding the 3 individual bacterial vaginosis (BV) marker scores together. Total score is interpreted as follows:

Total score 0–1: Indicates the absence of BV.

Total score 2: Indeterminate for BV. Additional clinical data should be evaluated to establish a diagnosis.

Total score 3–6: Indicates the presence of BV.

. This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary.

Candida albicans, NAA

Y060

Negative

Reference Value
Negative

Candida glabrata, NAA

Y060

Negative

Reference Value
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary.

Trich vag by NAA

Y060

Negative

Reference Value
Negative

Received: 28 Apr 2016 11:24

Reported: 28 Apr 2016 14:56

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y060	LabCorp Burlington	1447 York Court, Burlington, NC 27215		