

Patient ID SA00080297	Patient Name SAMPLEREPORT, VLTB N	Birth Date 1966-09-01	Gender M	Age 50
Order Number SA00080297	Client Order Number SA00080297	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Oct 2016 12:00		

Volatile Scrn, B

Methanol, B

SDL

Not Detected mg/dL

REFERENCE VALUE

Not detected (Positive results are quantitated) ≥ 10 (Toxic concentration)

Ethanol, B

SDL

Not Detected mg/dL

REFERENCE VALUE

Not detected (Positive results are quantitated) ≥ 400 (Toxic concentration)

Acetone, B

SDL

Not Detected mg/dL

REFERENCE VALUE

Not detected (Positive results are quantitated) ≥ 10 (Toxic concentration)

Isopropanol, B

SDL

Not Detected mg/dL

REFERENCE VALUE

Not detected (Positive results are quantitated) ≥ 10 (Toxic concentration)

Received: 17 Oct 2016 14:40

Reported: 17 Oct 2016 14:44

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592