



Patient ID J0001525	Patient Name VALIDATION, HTG2	Birth Date 1990-01-01	Sex F	Age 35
Order Number J0001525	Client Order Number J0001525	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 10 Jan 2025 00:00		

Thyroglobulin, Tumor Marker

Thyroglobulin Antibody, S

<1.8 IU/mL

MCF
Reference Value
<1.8

in the context of the clinical evaluation.

ADDITIONAL INFORMATION

PLEASE NOTE: The given cutoff of <1.8 IU/mL is for the detection of potential thyroglobulin antibody (TgAb) interference in thyroglobulin immunoassays.

Thyroglobulin, Tumor Marker, S

34 ng/mL

MCF
Reference Value
≤ 33

A thyroglobulin antibody (TgAb) reference cutoff of <4.0 IU/mL may be more suitable for the evaluation of autoimmune thyroiditis.

Thyroglobulin Interpretation

Thyroglobulin (Tg) reference intervals are for patients with an intact thyroid and not for patients who have had surgery for thyroid cancer. Tg reference intervals in patients that have undergone thyroidectomy or any treatment for follicular thyroid cancer are dependent on the residual mass of the thyroid tissue after surgery. Tg results, regardless of concentration, should not be interpreted as absolute evidence for the presence or absence of papillary or follicular thyroid cancer. This result needs to be interpreted

MCF

The thyroglobulin and thyroglobulin antibody testing methods are immunoenzymatic assays manufactured by Beckman Coulter Inc. and performed on the Unicel DXI 800.

Values obtained from different assay methods or kits may be different and cannot be used interchangeably. The results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 10 Jan 2025 10:52

Reported: 10 Jan 2025 10:52

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502