

Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 1973-05-01	Sex F	Age 52
Order Number X100510101	Client Order Number X100510101	Ordering Physician UNKNOWN, PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 28 Sep 2025 10:00		

Porphyrins, QN, Random, U

Uroporphyrin, Octa

3.1 mmol/mol Cr

MCR

Reference Value
≤3.1

Porphobilinogen

0.2 mmol/mol Cr

MCR

Reference Value
≤0.2

Heptacarboxylporphyrins

0.9 mmol/mol Cr

MCR

Reference Value
≤0.9

Aminolevulinic Acid, U

2.3 mmol/mol Cr

MCR

Reference Value
≤2.3

Hexacarboxylporphyrins

0.3 mmol/mol Cr

MCR

Reference Value
≤0.3

Interpretation

1 MCR

In this sample, the porphyrins profile was normal.

ADDITIONAL INFORMATION

High-Performance Liquid Chromatography (HPLC) with fluorescence detection and Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

Pentacarboxylporphyrins

1.2 mmol/mol Cr

MCR

Reference Value
≤1.2

Reviewed By

MCR

Colleen Landon

Coproporphyrin, Tetra

25.0 mmol/mol Cr

MCR

Reference Value
≤25.0

Received: 29 Sep 2025 14:50

Reported: 29 Sep 2025 14:57

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292