

Patient ID SA00091807	Patient Name TESTINGRNV, SAMPLEREPORT	Birth Date 1982-06-29	Gender F	Age 34
Order Number SA00091807	Client Order Number SA00091807	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Jun 2017 10:00		

Bile Acid Profile, S

Chenodeoxycholic acid

2.26 nmol/mL

MCR

Reference Value
≤2.26

Glycoursodeoxycholic acid

1.00 nmol/mL

MCR

Reference Value
≤1.00

Cholic acid

 2.75 nmol/mL

High

MCR

Reference Value
≤2.74

Hyodeoxycholic acid

0.12 nmol/mL

MCR

Reference Value
≤0.12

Deoxycholic acid

2.84 nmol/mL

MCR

Reference Value
≤2.84

Lithocholic acid

0.09 nmol/mL

MCR

Reference Value
≤0.09

Dihydroxycholestanolic acid

0.07 nmol/mL

MCR

Reference Value
≤0.07

Taurochenodeoxycholic acid

0.80 nmol/mL

MCR

Reference Value
≤0.80

Glycochenodeoxycholic acid

 6.14 nmol/mL

High

MCR

Reference Value
≤5.14

Taurocholic acid

0.31 nmol/mL

MCR

Reference Value
≤0.31

Glycocholic acid

 12.17 nmol/mL

High

MCR

Reference Value
≤2.17

Taurodeoxycholic acid

0.78 nmol/mL

MCR

Reference Value
≤0.78

Taurohyodeoxycholic acid

0.02 nmol/mL

MCR

Reference Value
≤0.02

Glycodeoxycholic acid

3.88 nmol/mL

MCR

Reference Value
≤3.88

Taurolithocholic acid

0.04 nmol/mL

MCR

Reference Value
≤0.04

Glycohyodeoxycholic acid

0.01 nmol/mL

MCR

Reference Value
≤0.01

Tauroursodeoxycholic acid

 2.05 nmol/mL

High

MCR

Reference Value
≤0.05

Glycolithocholic acid

0.11 nmol/mL

MCR

Reference Value
≤0.11

Trihydroxycholestanolic acid

1.73 nmol/mL

MCR

Reference Value
≤1.73

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292

Patient ID SA00091807	Patient Name TESTINGRNV, SAMPLEREPORT	Birth Date 1982-06-29	Gender F	Age 34
Order Number SA00091807	Client Order Number SA00091807	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Jun 2017 10:00		

Ursodeoxycholic acid

0.64 nmol/mL

MCR

Reference Value
≤0.64

Total bile acids


High

32.01 nmol/mL

1 MCR

Reference Value
≤19.00

ADDITIONAL INFORMATION

Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

Received: 07 Jun 2017 10:49

Reported: 07 Jun 2017 10:59

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292