



Patient ID SA00165579	Patient Name TESTINGRNV, PERA	Birth Date 2001-01-04	Sex F	Age 23
Order Number SA00165579	Client Order Number SA00165579	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 08 Jan 2024 12:00		

Preeclampsia sFit-1/PIGF Ratio, S

sFit-1/PIGF Ratio

20

SDL

Reference Value
< 40

sFit-1/PIGF ratio < 40 (low risk): If the result of the ratio is less than 40, the pregnant woman is at low risk for progression to preeclampsia with severe features within 2 weeks of presentation.

ADDITIONAL INFORMATION

The intended use of the BRAHMS KRYPTOR sFit-1/PIGF ratio is to aid in risk assessment of patients

with clinical signs and symptoms consistent with development of preeclampsia with severe features. The test is indicated for use in pregnant women with singleton pregnancies (gestational age 23 to 34+6/7 weeks) hospitalized for hypertensive disorders of pregnancy (preeclampsia, chronic hypertension with or without superimposed preeclampsia or gestational hypertension), within 2 weeks of presentation.

Received: 08 Jan 2024 14:38

Reported: 08 Jan 2024 14:38

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592