

|                                                       |                                              |                                             |                    |                  |
|-------------------------------------------------------|----------------------------------------------|---------------------------------------------|--------------------|------------------|
| Patient ID<br><b>SA00007446</b>                       | Patient Name<br><b>SAMPLEREPORT, MTXSG N</b> | Birth Date<br><b>1966-09-09</b>             | Gender<br><b>M</b> | Age<br><b>49</b> |
| Order Number<br><b>SA00007446</b>                     | Client Order Number<br><b>SA00007446</b>     | Ordering Physician<br><b>CLIENT, CLIENT</b> | Report Notes       |                  |
| Account Information<br><b>C7028846 DLMP Rochester</b> |                                              | Collected<br><b>09 Mar 2016 10:00</b>       |                    |                  |

**Methotrexate Post Glucarpidase, S****SDL**

&lt;0.05 mcmol/L

## REFERENCE VALUE

&lt;0.1 (non-toxic after 72hrs)

**Received:** 10 Mar 2016 11:18**Reported:** 10 Mar 2016 15:46**Laboratory Notes**

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

| Code | Laboratory                                          | Address                                    | Lab Director                | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|-----------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 | William G. Morice M.D. Ph.D | 24D1040592       |