



|                                                   |                                         |                                |              |           |
|---------------------------------------------------|-----------------------------------------|--------------------------------|--------------|-----------|
| Patient ID<br>J0001576                            | Patient Name<br>VALIDATION, THCSMABNORM | Birth Date<br>2000-01-01       | Sex<br>M     | Age<br>25 |
| Order Number<br>J0001576                          | Client Order Number<br>J0001576         | Ordering Physician             | Report Notes |           |
| Account Information<br>C7028845 DLMP Jacksonville |                                         | Collected<br>05 Aug 2025 00:00 |              |           |

|                                                                                            |                             |                                                                                             |                             |
|--------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------|-----------------------------|
| <b>T4 (Thyroxine), Free, S</b>                                                             | <b>MCF</b>                  | <b>Thyroid Cascade (Monitor), S</b>                                                         | <b>MCF</b>                  |
|  0.8 ng/dL | Reference Value<br>0.9–1.7  |  0.2 mIU/L | Reference Value<br>0.3–4.2  |
| <div>Low</div>                                                                             |                             | <div>Low</div>                                                                              |                             |
| Received: 06 Aug 2025 15:49                                                                | Reported: 06 Aug 2025 15:49 | Received: 06 Aug 2025 15:49                                                                 | Reported: 06 Aug 2025 15:49 |

Performing Site Legend

| Code | Laboratory                            | Address                                   | Lab Director     | CLIA Certificate |
|------|---------------------------------------|-------------------------------------------|------------------|------------------|
| MCF  | Mayo Clinic Jacksonville Clinical Lab | 4500 San Pablo Rd, Jacksonville, FL 32224 | Jeffrey Dlott MD | 10D0269502       |