



Patient ID 321	Patient Name TEST REF LAB, VALIDATION LABELS	Birth Date 1973-05-01	Sex F	Age 50
Order Number X100450133	Client Order Number X100450133	Ordering Physician UNKNOWN,PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Jan 2024 10:00		

Tyrosinemia Follow Up Panel, BS

Tyrosine 150 nmol/mL	MCR Reference Value 25–150	Nitisinone 0.5 nmol/mL	MCR Reference Value ≤0.5
Phenylalanine 107 nmol/mL	MCR Reference Value 27–107	Reason for Referral Rule out Tyrosinemia Type I	MCR
Methionine 45 nmol/mL	MCR Reference Value 11–45	Reviewed By Amy Breitlow	1 MCR
Succinylacetone 1.0 nmol/mL	MCR Reference Value ≤1.0	ADDITIONAL INFORMATION Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)	
		Received: 04 Jan 2024 12:15	Reported: 04 Jan 2024 12:18

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292