



Patient ID SA00177952	Patient Name VALIDATIONSOF, GFAPP	Birth Date 1955-10-15	Sex M	Age 70
Order Number SA00177952	Client Order Number SA00177952	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 29 Oct 2025 08:30		

Glial Fibrillary Acidic Protein, P

1 SDL



265 pg/mL

Reference Value
≤ 120.8 pg/mL

High

The testing method is a chemiluminescent enzyme immunoassay manufactured by Fujirebio, Inc. and performed on the Lumipulse analyzer. Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

This test is not intended as a screening or standalone diagnostic assay; correlation with clinical findings is recommended.

Received: 30 Oct 2025 13:30

Reported: 30 Oct 2025 13:31

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592