MAYO CLINIC LABORATORIES

1-800-533-1710

POWVS

Powassan Virus, RNA, Molecular Detection, PCR, Serum

Patient ID	Patient Name		Birth Date	Sex	Age
C7028846-0005091	POWVS, ABNORMAL		1991-05-15	M	30
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
X100388968	X100388968	unknown			
Account Information		**Collected**			
C7028846 DLMP Rochester		10 May 2022 06:00			

Powassan Virus, PCR, Serum

Lineage 1 — MCR

Positive

Abn

Semi-urgent result.

Reference Value
Negative

Lineage 2 (Deer Tick Virus) — [1] MCR

Negative

Reference Value
Negative

Received: 10 May 2022 12:54

Reported: 10 May 2022 12:55

Test Environment AOECOL Template

Laboratory Notes

[1] This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292