



Patient ID 321	Patient Name TESTRNV, TESTING ATLAS	Birth Date 1968-02-19	Sex M	Age 55
Order Number X100428745	Client Order Number X100428745	Ordering Physician UNKNOWN, PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Sep 2023 10:00		

Brazil Nut Component Reflex, S

Brazil Nut, IgE, S



14.0 kU/L

High

Class 3 (Positive 3.50–17.4)

SDL

Reference Value
<0.70

Received: 12 Sep 2023 09:28

Reported: 12 Sep 2023 09:28

Brazil Nut Component, IgE, S

Brazil Nut IgE Ab Interpretation

Negative for all tested brazil nut allergy related component IgE antibodies despite positive total brazil nut IgE antibody. The risk of localized or systemic allergic response upon exposure to brazil nut is unclear. Results from brazil nut-specific IgE antibody testing must be interpreted in the context of patient's clinical evaluation and history of allergen reactivity.

SDL

Ber e 1 (Brazil Nut), IgE, S

<0.10 kU/L

Class 0 (Negative <0.10)

SDL

Reference Value
<0.70

Received: 12 Sep 2023 09:28

Reported: 12 Sep 2023 09:29

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592