



Patient ID SA00485953	Patient Name SAMPLEREPORT, LFACX ABNORMAL	Birth Date 1978-11-11	Gender M	Age 39
Order Number SA00485953	Client Order Number SA00485953	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 09 Oct 2018 00:00		

Cryptococcus Ag Titer, LFA, CSF



1:20

Crit

CRITICAL RESULT

Low-level titers (1:2 and 1:5) may be falsely-positive and should be interpreted with caution, particularly in patients without other evidence of cryptococcal infection. This test should not be used to screen asymptomatic patients.

SDL

Reference Value
Negative

Received: 10 Oct 2018 07:14

Reported: 10 Oct 2018 07:17

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905



Patient ID SA00485953	Patient Name SAMPLEREPORT, LFACX ABNORMAL	Birth Date 1978-11-11	Gender M	Age 39
Order Number SA00485953	Client Order Number SA00485953	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 09 Oct 2018 00:00		

Fungal Culture, CSF

MCR



Abn

SOURCE: CEREBROSPINAL FLUID

FUNGAL CULTURE, CSF

FINAL

CRYPTOCOCCUS NEOFORMANS

Critical Result.

Received: 10 Oct 2018 08:07

Reported: 10 Oct 2018 08:09

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905



Patient ID SA00485953	Patient Name SAMPLEREPORT, LFACX ABNORMAL	Birth Date 1978-11-11	Gender M	Age 39
Order Number SA00485953	Client Order Number SA00485953	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 09 Oct 2018 00:00		

Cryptococcus Ag w/Reflex, LFA, CSF

Cryptococcus Ag Screen w/Titer, CSF



Positive

SDL

Reference Value
Negative

Abn

Reflex testing has been ordered to establish a cryptococcal antigen titer.

ADDITIONAL INFORMATION

This assay was performed using the FDA-cleared IMMY Cryptococcus Antigen Lateral Flow Assay.

Received: 10 Oct 2018 07:14

Reported: 10 Oct 2018 07:16

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905