



Patient ID SAMPLE	Patient Name PATIENT, TEST	Birth Date 1990-08-02	Sex U	Age 33
Order Number SAMPLE	Client Order Number SAMPLE	Ordering Physician SAMPLE	Report Notes Sample Report	
Account Information SAMPLE		Collected 01 Aug 2024 14:45		

DC and Monocyte Enumeration, B

Monocytes(CD14+)  685 cells/mcL Low	SDL Reference Value 173–637	mDC (CD11c+)  13 cells/mcL Low	SDL Reference Value 14–84
pDC (CD123+)  0 cells/mcL Low	SDL Reference Value 4–26	DCME Comment Reviewed by: Austin Reinicke ADDITIONAL INFORMATION Reference values implemented Month DD, 2020 Received: 02 Aug 2024 14:40 Reported: 02 Aug 2024 14:45	1 SDL

Laboratory Notes

- 1

This test was developed using an analyte specific reagent. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592