



Patient ID SA00165657	Patient Name TESTINGRNV, PERA2	Birth Date 2002-01-10	Sex F	Age 22
Order Number SA00165657	Client Order Number SA00165657	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Jan 2024 12:00		

Preeclampsia sFit-1/PIGF Ratio, S

sFit-1/PIGF Ratio



50

SDL

Reference Value
< 40

sFit-1/PIGF ratio ≥ 40 (high risk): If the result of the ratio is greater than or equal to 40, the pregnant woman is at high risk for progression to preeclampsia with severe features within 2 weeks of presentation.

ADDITIONAL INFORMATION

The intended use of the BRAHMS KRYPTOR sFit-1/PIGF ratio is to aid in risk assessment of patients

with clinical signs and symptoms consistent with development of preeclampsia with severe features. The test is indicated for use in pregnant women with singleton pregnancies (gestational age 23 to 34+6/7 weeks) hospitalized for hypertensive disorders of pregnancy (preeclampsia, chronic hypertension with or without superimposed preeclampsia or gestational hypertension), within 2 weeks of presentation.

Received: 10 Jan 2024 13:15

Reported: 10 Jan 2024 13:15

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592