



Patient ID SA00161803	Patient Name TESTING, MMGEN ATLAS	Birth Date 1990-08-17	Sex F	Age 33
Order Number SA00161803	Client Order Number SA00161803	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 17 Aug 2023 08:00		

Mycoplasma genitalium, TMA, Misc

Specimen Source:

PENILE/MEATAL

SDL

Mycoplasma genitalium Result



Positive

Abn

1 SDL

Reference Value
Negative

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in medical-legal applications.

Received: 17 Aug 2023 14:10

Reported: 17 Aug 2023 14:38

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592