



Patient ID SA00089185	Patient Name REPORTVALIDATION, PLFA_PLFAT_ABNORMAL	Birth Date 1964-08-30	Gender F	Age 52
Order Number SA00089185	Client Order Number SA00089185	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Apr 2017 00:00		

Cryptococcus Ag Screen, LFA, PF



Positive

Abn

Reflex testing has been ordered to establish a cryptococcal antigen titer.

1 SDL

Reference Value
Negative

Received: 18 Apr 2017 11:59

Reported: 18 Apr 2017 12:03

Cryptococcus Ag Titer, LFA, PF



1:10

Abn

SEMI-URGENT RESULT

1 SDL

Reference Value
Negative

Cryptococcal antigen detected. This may be consistent with active or recently treated cryptococcal disease. Low-level titers (1:2 and 1:5) may be falsely-positive and should be interpreted with caution, particularly in patients without other evidence of cryptococcal infection.

Received: 18 Apr 2017 11:59

Reported: 18 Apr 2017 12:06

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592