



Patient ID SA00174487	Patient Name SAMPLEREPORT, CMSL	Birth Date 1999-09-09	Sex M	Age 25
Order Number SA00174487	Client Order Number SA00174487	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 24 Feb 2025 08:00		

Thyroglobulin, Mass Spec., S

Thyroglobulin, Mass Spec., S

25 ng/mL

SDL

Reference Value
≤ 33

Interpretation

Thyroglobulin (Tg) reference intervals are for patients with an intact thyroid and not for patients who have had surgery for thyroid cancer. Tg reference intervals in patients that have undergone thyroidectomy or any treatment for follicular thyroid cancer are dependent on the residual mass of the thyroid tissue

1 SDL

after surgery. Tg results, regardless of concentration, should not be interpreted as absolute evidence for the presence or absence of papillary or follicular thyroid cancer. This result needs to be interpreted in the context of the clinical evaluation.

ADDITIONAL INFORMATION

This testing method is LC-MS/MS of an immunoaffinity purified tryptic digest of thyroglobulin. Values obtained from different assay methods or kits may be different and cannot be used interchangeably.

Received: 25 Feb 2025 10:07

Reported: 25 Feb 2025 10:14

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592