

Patient ID SA00141469	Patient Name VALIDTATIONTESTING, FRAG	Birth Date 1970-01-01	Gender F	Age 51
Order Number SA00141469	Client Order Number SA00141469	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Jan 2021 08:00		

Osmotic Fragility, RBC

Osmotic Fragility

Result Name	Value	Unit	Reference Value	Performing Site
Osmotic Fragility, 0.50 g/dL NaCl	15	%hemol	3-53	MCR
Osmotic Fragility, 0.60 g/dL NaCl	20	%hemol	14-74	MCR
Osmotic Fragility, 0.65 g/dL NaCl	10	%hemol	4-40	MCR
Osmotic Fragility, 0.75 g/dL NaCl	5	%hemol	1-11	¹ MCR
Osmotic Fragility Comment	Normal erythrocytic osmotic fragility.			MCR

Result Name	Value	Unit	Reference Value	Performing Site
Shipping Control Vial	Received			MCR

Received: 14 Jan 2021 12:47

Reported: 14 Jan 2021 13:31

Laboratory Notes

- ¹ This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292